



EMSL Analytical, Inc.

***107 Haddon Avenue
Westmont, NJ 08108***



***Tel: (856) 858-4800
Fax: (856) 858-0648***

Environmental Relative Moldiness Index (ERMI) Report

Prepared Exclusively For

**Paul King
Inspector Paul , Inc.
P.O.Box 236
Fort Mill , SC 29716**

Date Received:

Date Reported:

Project:

EMSL Order:

Client ID

If you have any questions, please do not hesitate to contact us at (856)858-4800.



All samples were collected by and all sampling data was provided by the client. The results herein do not denote or represent a medical or clinical diagnosis or conclusion.

EMSL Analytical (Westmont, NJ) is accredited by the American Industrial Hygiene Association (AIHA) in the EMLAP accreditation program for specified Field(s) of Testing as documented on the scope of accreditation. Please visit our website at <http://www.emsl.com> for more information about our certifications and accreditations.

EMSL Analytical, Inc. - Microbiology

107 Haddon Ave., Westmont, NJ 08108 Tel: 800-220-3675 Fax: 856-858-0648



Client: Inspector Paul , Inc.

P.O.Box 236

Fort Mill , SC 29716

Attention: Paul King

Project:

EMSL Order ID:

Date Received:

Date Analyzed:

Date Reported:

Environmental Relative Moldiness Index (ERMI) by Mold Specific Quantitative Polymerase Chain Reaction (MSQPCR) (EMSL Test Code:M050)

based on USA EPA SOP MERB-020, Revision No. 3, 7/11/02

Lab Sample Number	6913-1	-	-	-
Client Sample ID	N.A.	-	-	-
Sample Location	Bed/Living	-	-	-
Sample size	5mg Dust	-	-	-
EPA 36 Species Identification	cells/ mg dust	cells/ mg dust	cells/ mg dust	cells/ mg dust
Group 1				
<i>Aspergillus flavus</i>	ND	-	-	-
<i>Aspergillus fumigatus</i>	ND	-	-	-
<i>Aspergillus niger</i>	ND	-	-	-
<i>Aspergillus ochraceus</i>	ND	-	-	-
<i>Aspergillus penicillioides</i>	566	-	-	-
<i>Aspergillus restrictus</i>	ND	-	-	-
<i>Aspergillus sclerotiorum</i>	3	-	-	-
<i>Aspergillus sydowii</i>	ND	-	-	-
<i>Aspergillus unguis</i>	ND	-	-	-
<i>Aspergillus versicolor</i>	ND	-	-	-
<i>Eurotium (A.) amstelodami</i>	ND	-	-	-
<i>Aureobasidium pullulans</i>	405	-	-	-
<i>Chaetomium globosum</i>	8	-	-	-
<i>Cladosporium sphaerospermum</i>	606	-	-	-
<i>Paecilomyces variotii</i>	2	-	-	-
<i>Penicillium brevicompactum</i>	13	-	-	-
<i>Penicillium corylophilum</i>	ND	-	-	-
<i>Penicillium crustosum (group2)</i>	ND	-	-	-
<i>Penicillium purpurogenum</i>	ND	-	-	-
<i>Penicillium spinulosum</i>	16	-	-	-
<i>Penicillium variable</i>	5	-	-	-
<i>Scopulariopsis brevicaulis</i>	ND	-	-	-
<i>Scopulariopsis chartarum</i>	3	-	-	-
<i>Stachybotrys chartarum</i>	ND	-	-	-
<i>Trichoderma viride</i>	8	-	-	-
<i>Wallemia sebi</i>	12	-	-	-
Sum of the Logs	15.2	-	-	-

EMSL Analytical, Inc. - Microbiology

107 Haddon Ave., Westmont, NJ 08108 Tel: 800-220-3675 Fax: 856-858-0648

Client: Inspector Paul , Inc.

P.O.Box 236

Fort Mill , SC 29716

Attention: Paul King

Project:



EMSL Order ID:

Date Received:

Date Analyzed:

Date Reported:

Environmental Relative Moldiness Index (ERMI) by Mold Specific Quantitative Polymerase Chain Reaction (MSQPCR) (EMSL Method:M050)

based on USA EPA SOP MERB-020, Revision No. 3, 7/11/02

Lab Sample Number	6913-1	-	-	-
Client Sample ID	N.A.	-	-	-
Sample Location	Bed/Living	-	-	-
Sample size	5mg Dust	-	-	-
EPA 36 Species Identification	cells/ mg dust	cells/ mg dust	cells/ mg dust	cells/ mg dust
Group 2				
<i>Acremonium strictum</i>	7	-	-	-
<i>Alternaria alternata</i>	17	-	-	-
<i>Aspergillus ustus</i>	1	-	-	-
<i>Cladosporium cladosporioides I</i>	ND	-	-	-
<i>Cladosporium cladosporioides II</i>	48	-	-	-
<i>Cladosporium herbarum</i>	11	-	-	-
<i>Epicoccum nigrum</i>	1,303	-	-	-
<i>Mucor and Rhizopus group</i>	23	-	-	-
<i>Penicillium chrysogenum</i>	ND	-	-	-
<i>Rhizopus stolonifer</i>	ND	-	-	-
Sum of the Logs	9.3	-	-	-
ERMI Value:	6	-	-	-
ERMI Interpretation* (see graph and description below)	Level 4	-	-	-

Notes: ND=None detected; the result is below the analytical detection limit or not present.

ERMI Level 1: ERMI value < -4

ERMI Level 2: ERMI value between -4 and 0

ERMI Level 3: ERMI value between 0 to 5

ERMI Level 4: ERMI value > 5

Charlie Li

Charlie Li Ph.D., Lab Director

Or Approved EMSL Signatory

AIHA EMLAP Lab ID # 100194



EMSL Analytical, Inc.

107 Haddon Avenue | Westmont, NJ 08108

Phone: 856.858.4800 | Fax: 856.858.0648

www.EMSL.com

EMSL Order:

1. Description of Analysis

Analytical Laboratory:

EMSL Analytical, Inc (EMSL) is a nationwide, full service, analytical testing laboratory network providing Asbestos, Mold, Indoor Air Quality, Microbiological, Environmental, Chemical, Forensic, Materials, Industrial Hygiene and Mechanical Testing services since 1981. Ranked as the premier independently owned environmental testing laboratory in the nation, EMSL puts analytical quality as its top priority. This quality is recognized by many well-respected federal, state and private accrediting agencies, such as AIHA's EMLAP and EMPAT programs, and assured by our high quality personnel, including many Ph.D. microbiologists and mycologists.

EMSL is an independent laboratory that performed the analysis of these samples. EMSL did not conduct the sampling or site investigation for this report. The samples referenced herein were analyzed under strict quality control procedures using state-of-the-art molecular methods.

Analytical Method:

Mold specific quantitative polymerase chain reactions (MSQPCR) was developed by a team of EPA researchers. MSQPCR utilizes EPA-patented molecular diagnostics methods for detecting and quantifying species of mold. The benefits of this technology include:

- A fast, accurate, and sensitive DNA-based analytical method for identifying and quantifying molds to the species level.
- Looks for the presence of DNA sequences that are unique to a particular mold species.
- Utilizes a DNA sequence detection system to monitor the presence and concentration of a specific mold in "REAL TIME". As a mold-unique sequence is detected and amplified, fluorescent signal molecules are simultaneously released and measured. No fluorescence = no target mold.

Real-Time PCR is a DNA-based analytical method. What is DNA?

- DNA is a nucleic acid that carries the genetic information that is unique to every organism. DNA sequences determine individual hereditary characteristics.
- DNA can be found in every cell in every living (or previously living) organism. For example, humans have DNA in their skin cells and blood cells and fungi have DNA in their spores and hyphae.

ERMI Development:

EPA researchers developed the Environmental Relative Moldiness Index (ERMI) in order to standardize the sampling and analytical methods available to indoor air quality consultants, researchers, and homeowners. The long term goal is to help better understand the risks of mold exposure to the health of occupants. The ERMI specifically measures the mold-burden in a home. The ERMI consists of values for 36 molds broken down into two groups, 26 in group 1; that represented the species associated with water-damaged environments, and 10 species in group 2; that are considered common mycoflora in homes.

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report. Completely read the important terms, conditions, and limitations that apply to this report.

© 2008, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.


107 Haddon Avenue | Westmont, NJ 08108

Phone: 856.858.4800 | Fax: 856.858.0648

www.EMSL.com

EMSL Order: _____

The US Department of Housing and Urban Development conducted the American Health Homes Survey in 2006. As part of this study, dust samples were collected from the bedroom and living room of 1096 homes across the US. Each composite sample was tested by MSQPCR for the ERMI. From this study, researchers were able to develop the following ERMI scale:



2. Understanding the Results

EMSL Analytical, Inc. is an independent laboratory, providing unbiased and scientifically valid results. These data represent only a portion of an overall IAQ investigation. Visual information and environmental conditions measured during the site assessment (humidity, moisture readings, etc.) are crucial to any final interpretation of the results. Many factors impact the final results; therefore, result interpretation should be conducted with caution.

ERMI Interpretation:

The mold burden of a home can be defined by two factors; the quantity of each mold species and the diversity of species present. The ERMI takes into account both of these factors and measures the long term mold burden. A relatively new water damage event with ensuing mold growth may not be detected by the ERMI as the spores must undergo an equilibration period. Other changes in the home, such as new carpets, must be interpreted in conjunction with the ERMI result.

The ERMI consists of the Group 1 water damage indicator species and the Group 2 commonly occurring species. There are cases whereby species found in one group could easily be categorized in the other group but in general the grouping holds true. Also the ERMI uses a combination

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report.

Completely read the important terms, conditions, and limitations that apply to this report.

© 2008, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.


107 Haddon Avenue | Westmont, NJ 08108

Phone: 856.858.4800 | Fax: 856.858.0648

www.EMSL.com

EMSL Order:

of 36 molds to determine the mold burden in a home and does not rely on one or two species. Homes with an ERMI Level 3 are more likely to have a mold problem. Homes with an ERMI Level 4 have the greatest likelihood of having a mold problem. Homes with an ERMI Level 2 are less likely of having a mold problem and homes with an ERMI Level 1 are least likely of having a mold problem.



The above figure shows the distribution of the sum of the logs of the Group 2 species from the American Health Homes Survey conducted by HUD. If the reported Group 2 value falls towards the outside of either end of this scale then a reason must be sought. For example, if your Group 2 value is 1 meaning there are fewer common molds than we would have expected in a normal home. Perhaps it is a new construction or recently remediated environment. If you have a very high group two value (>20), it may be possible that the home is contaminated with species found in Group 2 and is not representative of normal background levels.

Fungal spores are found everywhere. Whether or not symptoms develop in people exposed to fungi depends on the nature of the fungal material (e.g., allergenic, toxic, or infectious), the exposure level, and the susceptibility of exposed persons. Susceptibility varies with the genetic predisposition (e.g., allergic reactions do not always occur in all individuals), age, pre-existing medical conditions (e.g., diabetes, cancer, or chronic lung conditions), use of immunosuppressive drugs, and concurrent exposures. These reasons make it difficult to identify dose/response relationships that are required to establish "safe" or "unsafe" levels (i.e., permissible exposure limits).

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report.

Completely read the important terms, conditions, and limitations that apply to this report.

© 2008, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

107 Haddon Avenue | Westmont, NJ 08108

Phone: 856.858.4800 | Fax: 856.858.0648

www.EMSL.com

EMSL Order:

It is generally accepted in the industry that indoor fungal growth is undesirable and inappropriate, necessitating removal or other appropriate remedial actions. The New York City guidelines and EPA guidelines for mold remediation in schools and commercial buildings define the conditions warranting mold remediation. Always remember that water is the key. Preventing water damage or water condensation will prevent mold growth.

This report is not intended to provide medical advice or advice concerning the relative safety of an occupied space. Always consult an occupational or environmental health physician who has experience addressing indoor air contaminants if you have any questions.

Detection of multiple organisms in real-time q-PCR assays:

Certain species of mold are too genetically similar to be distinguished by MSQPCR. Thus positive or negative detection of any of these molds also suggests positive or negative detection of their genetically similar counterparts.

Eurotium (Aspergillus) amstelodami / *chevalieri* / *herbariorum* / *rubrum* / *repens*

Aspergillus flavus / *oryzae*

Aspergillus fumigatus, *Neosartorya fischeri*

Aspergillus niger / *foetidus* / *phoenicus*

Aspergillus restrictus / *caesillus* / *conicus*

Mucor and Rhizopus group / *Mucor*

Penicillium chrysogenum / *griseofulvum* / *glandicola* / *coprophilum* / *expansum* and *Eupenicillium*

Penicillium crustosum / *camembertii* / *commune* / *echinulatum* / *solitum*

Penicillium spinulosum / *glabrum* / *lividum* / *thomii* / *purpurescens*

Scopulariopsis brevicaulis / *fusca*

Trichoderma viride / *atroviride* / *koningii*

Positive and negative controls:

A positive control is performed with every sample to prevent false negatives and to ensure the success of PCR amplification. An internal sample control is performed with every sample to test the success of DNA extraction and presence of inhibitors. It is also used for quantitative purposes. Negative controls are performed for each species tested for each client project in order to rule out laboratory contamination as the source of any positively detected molds and to prevent false positives. These controls are necessary to ensure quality results.

3. References and Informational Links

Articles

Quantification of *Stachybotrys chartarum* conidia in indoor dust using real time, fluorescent probe-based detection of PCR products. 2001. Jennie D Roe, Richard A Haugland, Stephen J Vesper and Larry J Wymer. JEAE Vol.11.

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report.

Completely read the important terms, conditions, and limitations that apply to this report.

© 2008, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

107 Haddon Avenue | Westmont, NJ 08108

Phone: 856.858.4800 | Fax: 856.858.0648

www.EMSL.com

EMSL Order:

Rapid Monitoring by Quantitative Polymerase Chain Reaction for Pathogenic Aspergillus During Carpet Removal From a Hospital. 2004. Alice N. Neely, PhD, Vince Gallardo, MS, Ed Barth, MS, Richard A. Haugland, PhD, Glenn D. Warden, MD, and Stephen J. Vesper, PhD. Infection Control and Hospital Epidemiology, Vol. 25.

Quantitative Polymerase Chain Reaction Analysis of Fungi in Dust From Homes of Infants Who Developed Idiopathic Pulmonary Hemorrhaging. 2004. Vesper, Stephen J. PhD; Varma, Manju PhD; Wymer, Larry J. MS; Dearborn, Dorr G. MD, PhD; Sobolewski, John MS; Haugland, Richard A. PhD. Journal of Occupational & Environmental Medicine. 46(6):596-601.

Real-time PCR analysis of molds is performed at EMSL Analytical, Inc. in agreement with the Patent License Agreement between EMSL Analytical, Inc. and the United States Environmental Protection Agency's National Exposure and Research Laboratory-CI as well as the Patent License Agreement between EMSL Analytical, Inc. and Applied Biosystems.

For further technical information regarding the development of the Environmental Relative Moldiness Index refer to the April 2006 issue of "The Synergist" pages 39-43 or www.epa.gov/iaq

Books

Bioaerosols: Assessment and Control. Janet Macher, Ed., American Conference of Governmental Exposure Guidelines for Residential Indoor Air Quality. Environmental Health Directorate, Health Protection Branch, Health Canada, Ottawa, Ontario, 1989.

Fungal Contamination in Public Buildings: Health Effects and Investigation Methods. Health Canada, Ottawa, Ontario, 2004.

IICRC: S500 Standard and Reference Guide for Professional Water Damage Restoration. 3rd Edition, Institute of Inspection, Cleaning, and Restoration Certification, Vancouver, WA, 2006

IICRC: S520 Standard and Reference Guide for Professional Mold Remediation. 1st Edition, Institute of Inspection, Cleaning, and Restoration Certification, Vancouver, WA, 2004

Field Guide for the Determination of Biological Contaminants in Environmental Samples. 2nd Edition, American Industrial Hygiene Association, 2005.

Consumer Links

Read the full text of AIHA's "The Facts About Mold" consumer brochure.

<http://www.aiha.org/content/accessinfo/consumer/factsaboutmold.htm>

The Occupational Safety and Health Administration (OSHA)

<http://www.osha.gov/SLTC/molds/index.html>

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report.

Completely read the important terms, conditions, and limitations that apply to this report.

© 2008, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

107 Haddon Avenue | Westmont, NJ 08108

Phone: 856.858.4800 | Fax: 856.858.0648

www.EMSL.com

EMSL Order: 1000000000

CDC Mold Facts

<http://www.cdc.gov/mold/faqs.htm>

CDC Stachybotrys – Questions and answers on Stachybotrys chartarum and other molds

<http://www.cdc.gov/nceh/airpollution/mold/stachy.htm>

IOM, NAS: Clearing the Air: Asthma and Indoor Air Exposures

<http://fermat.nap.edu/books/0309064961/html/index.html>

National Library of Medicine-Mold website

<http://www.nlm.nih.gov/medlineplus/molds.html>

California Department of Health Services (CADOHS)

<http://www.cal-iaq.org/mold0107.htm>

Minnesota Department of Health

<http://www.health.state.mn.us/divs/eh/indoorair/mold/index.html>

New York City Department of Health and Mental Hygiene

<http://www.nyc.gov/html/doh/html/epi/moldrpt1.shtml>

H.R.: The United States Toxic Mold Safety and Protection Act

<http://www.house.gov/conyers/mold.htm>

EPA

"Should You Have the Air Ducts in Your Home Cleaned?"

<http://www.epa.gov/iaq/pubs/airduct.html>

"Fact Sheet: Flood Cleanup - Avoiding Indoor Air Quality Problems."

<http://www.epa.gov/iaq/pubs/flood.html>

General information about molds and actions that can be taken to clean up or prevent a mold problem.

<http://www.epa.gov/iaq/asthma/triggers/molds.html>

A Brief Guide to Mold, Moisture, and Your Home" Includes basic information on mold, cleanup guidelines, and moisture and mold prevention

<http://www.epa.gov/iaq/molds/moldguide.html>

"Mold Remediation in Schools and Commercial Buildings" – Information on remediation in schools

<http://www.epa.gov/iaq/molds/mold-remediation.html>

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report.

Completely read the important terms, conditions, and limitations that apply to this report.

© 2008, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

107 Haddon Avenue | Westmont, NJ 08108

Phone: 856.858.4800 | Fax: 856.858.0648

www.EMSL.com

EMSL Order:

37080913

FEMA

“Homes That Were Flooded May Harbor Mold Problems” – Information and tips for cleaning mold.

<http://www.fema.gov/diz01/d1364n18.shtm>

“Mold Can Damage Home and Health” – How to check for mold, potential health effects of mold, and how to treat mold in the home.

<http://www.fema.gov/diz01/d1379n41.shtm>

“Prompt Flood Cleanup Can Help Prevent Health Problems” – How to clean up in-house mold problems (not large or serious exposures).

<http://www.fema.gov/diz99/d1279n09.shtm>

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report. Completely read the important terms, conditions, and limitations that apply to this report.

© 2008, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

107 Haddon Avenue | Westmont, NJ 08108

Phone: 856.858.4800 | Fax: 856.858.0648

www.EMSL.com

EMSL Order:

Important Terms, Conditions, and Limitations

A. Sample Retention

Samples analyzed by EMSL will be retained for 60 days after analysis date. Storage beyond this period is available for a fee with written request prior to the initial 30 day period. Samples containing hazardous/toxic substances which require special handling will be returned to the client immediately. EMSL reserves the right to charge a sample disposal fee or return samples to the client.

B. Change Orders and Cancellation

All changes in the scope of work or turnaround time requested by the client after sample acceptance must be made in writing and confirmed in writing by EMSL. If requested changes result in a change in cost the client must accept payment responsibility. In the event work is cancelled by a client, EMSL will complete work in progress and invoice for work completed to the point of cancellation notice. EMSL is not responsible for holding times that are exceeded due to such changes.

C. Warranty

EMSL warrants to its clients that all services provided hereunder shall be performed in accordance with established and recognized analytical testing procedures and with reasonable care in accordance with applicable federal, state and local laws. The foregoing express warranty is exclusive and is given in lieu of all other warranties, expressed or implied. EMSL disclaims any other warranties, express or implied, including a warranty of fitness for particular purpose and warranty of merchantability.

D. Limits of Liability

In no event shall EMSL be liable for indirect, special, consequential, or incidental damages, including, but not limited to, damages for loss of profit or goodwill regardless of the negligence (either sole or concurrent) of EMSL and whether EMSL has been informed of the possibility of such damages, arising out of or in connection with EMSL's services thereunder or the delivery, use, reliance upon or interpretation of test results by client or any third party. We accept no legal responsibility for the purposes for which the client uses the test results. EMSL will not be held responsible for the improper selection of sampling devices even if we supply the device to the user. The user of the sampling device has the sole responsibility to select the proper sampler and sampling conditions to insure that a valid sample is taken for analysis. Any resampling performed will be at the sole discretion of EMSL, the cost of which shall be limited to the reasonable value of the original sample delivery group (SDG) samples. In no event shall EMSL be liable to a client or any third party, whether based upon theories of tort, contract or any other legal or equitable theory, in excess of the amount paid to EMSL by client thereunder.

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report. Completely read the important terms, conditions, and limitations that apply to this report.

© 2008, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.



EMSL Analytical, Inc.

107 Haddon Avenue | Westmont, NJ 08108

Phone: 856.858.4800 | Fax: 856.858.0648

www.EMSL.com

EMSL Order:

E. Indemnification

Client shall indemnify EMSL and its officers, directors and employees and hold each of them harmless for any liability, expense or cost, including reasonable attorney's fees, incurred by reason of any third party claim in connection with EMSL's services, the test result data or its use by client.

THIS IS THE LAST PAGE OF THE REPORT

This report has been prepared by EMSL Analytical, Inc. at the request of and for the exclusive use of the client named in this report. Completely read the important terms, conditions, and limitations that apply to this report.

© 2008, EMSL Analytical, Inc., All rights reserved. No part of this report may be reproduced or otherwise distributed or used without the express written consent of EMSL.